

Subject:	Airworthiness Limitations
Part Number:	2E6-310-004-101, 2E6-310-004-103
Installations:	Bell 206A, 206B, 206L, 206L-1, 206L-3, and 206L-4
Revision History:	IR – May 14, 2025 – Initial Release
Reason:	This document sets forth the EASA-approved mandatory replacement times for the life-limited parts listed and instructions for continued airworthiness (ICA) herein.
Description:	The schedule below summarizes the airworthiness limitations of the parts/articles shown. The airworthiness life shown in Table 1 is the maximum time these parts/articles may remain in service. They must be removed from service before the airworthiness life is exceeded.
Applicability:	See Table 1.
EASA Approval:	See EASA STC approval No. 10087366 dated 18 th of June 2025.
Airworthiness Limitation:	<p>The airworthiness limitations applicable to EXTEX parts/articles have been substantiated through test to be the same as those of the Type Certificate Holders (TCH) parts/articles. The airworthiness limitations are listed in Table 1.</p> <p><u>Airworthiness Limitation Schedule</u></p> <p>The Airworthiness limitations section is EASA approved.</p> <p>The airworthiness life or inspection interval for any part/article contained in this schedule applies to all successive dash numbers for that component unless it is otherwise specified.</p>
Instructions for Continued Airworthiness:	<p>As a part of the approval process, EXTEX demonstrates that the TCH ICA are applicable to EXTEX replacement articles.</p> <p>Bell maintenance instructions (See Table 2) are applicable in all respects except EXTEX part numbers are not included in Bell manuals.</p> <p>All work must be performed at an approved repair facility. Refer to the TCH ICA for any additional requirements.</p>
Notes:	Return parts that have attained their maximum airworthiness life to EXTEX. Please contact your EXTEX representative with any questions.



340 E Germann Road, Suite 113 • Gilbert AZ 85297-0614 • USA

T-712-EASA Instructions for Continued Airworthiness

ICA

Revision: IR
Issued: May 14, 2025

Nomenclature	Part Number	Airworthiness Life	Application
Strap Assy	2E6-310-004-101	1200 hours/ 48 months	206A, 206B
Strap Assy	2E6-310-004-103	1200 hours/ 48 months	206A, 206B 206L, 206L-1, 206L-3, 206L-4

Note: Airworthiness life is whichever occurs first. The calendar life (months) starts when new straps are installed in a main rotor hub and blade assembly and are subjected to rotation on the helicopter.

Table 2: Maintenance Instructions

Manual Title	Document Reference No.
Bell Model 206A/B Series Maintenance Manual Volume 1	BHT-206-A/B-MM-1
Bell Model 206L Maintenance Manual Volume 1	BHT-206L-MM-1
Bell Model 206L1 Maintenance Manual Volume 1	BHT-206L1-MM-1
Bell Model 206L3 Maintenance Manual Volume 1	BHT-206L3-MM-1
Bell Model 206L4 Maintenance Manual Volume 1	BHT-206L4-MM-1
Bell Model 206B3 Component Repair and Overhaul Manual Volume 3	BHT-206B3-CR&O-3
Bell Model 206L Series Component Repair and Overhaul Manual Volume 3	BHT-206L-CR&O-3
Bell Standard Practices Manual	BHT-ALL-SPM